3G ULTRA VBS-HDIP-717HIFI



4K Transmitter with HDMI Loopout

The 3G Ultra 717HIFI Transmitter supports lossless audio formats and has an HDMI loop-out, along with all the 4K system wide features from the 3G Ultra product line.

Distribute 4K video and lossless audio over a single Cat5e cable to every zone.

Build a future-proof 4K infrastructure.

The 717HIFI encodes a 4K or lower-resolution source device into an IP signal and sends it over the network with ultra-low latency and instant switching; supports HDCP 2.2; and features image pull and RS-232, IR, and CEC control of sources.





Features

Audio	All lossless audio supported - including Dolby Atmos ®	Image Pull	Preview an image from any source or display in any web browser or control system - up to 10 fps
HDCP 2.2 Support	Display content with HDCP 2.2 copy/content protection on any HDMI screen in system	Integrated Endpoint Control	Control endpoints with RS232, IR and CEC
		Scalability	Fully compatible with all 3G Ultra and 2G Omega products

3G ULTRA VBS-HDIP-717HIFI



Front of Device:



All measurements in millimeters (mm)

Back of Device:



All measurements in millimeters (mm)

Specifications

_			
Bandwidth	180-500 Mbps	POE	IEEE 802.3af (15.4W)
Compliance	HDCP 2.2 RoHS/FCC/CE	Ports	Gigabit Ethernet HDMI In HDMI Out
Dimensions & Weight	184 x 30 x 126 mm 7.2" x 1.2" x 5.0" in		3.5mm RS232 w/null modem
	0.45 kg / 1.0 lb	Power Supply (not included)	5V-18V 5.5mm/2.1mm, Positive tip
Encryption	AES-128 Encryption	(·
		Supported Resolutions	Up to 4096x2160 (interlaced & progressive)
Operating Temp	0-60 °C / 32-140 °F	i itesolutions	(11 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1